WHEEL ALIGNMENT

Version 2022.02.10 – Prices on request

www.beissbarth.com

Wheel aligner Easy CCD+ | Kit Version

Easy CCD+ Kit Version | CCD wheel alignment Kit Version, ideal for existing alignment bays!
Article number: 1 690 310 071



Perfectly integrated into ADAS calibration and head light testing:

- The space in front of the lift can be used for ADAS calibration boards and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, or clamps required for ADAS calibration

Best in class: +/- 2 minute accuracy:

- 360° measurement field for permanent self-check and adjustment of system to movement and vibrations
- Rolling runout compensation eliminates time-consuming raising of vehicle and single-wheel compensation
- No calibration to a specific lift allows a measurement on any wheel alignment bay
- Wireless data transfer and integrated battery enable full mobility and allow the use of Windows tablets or Laptops
- Intelligent and space-saving charging solution that can be mounted on any wall
- Quality made in Germany

Scope of delivery:

- Sensor head with encoder and battery power
- +Software with SmartTest for direct reception and ADAS calibration Option
- Charging pods
- Vehicle specs database

Changes reserved

Wheel aligner Easy CCD+ | Excellence

Wheel alignment using CCD measuring technology is the ideal entry-level solution by Beissbarth - economical, flexible, space-saving | with cabinet, HighPerformance PC, 27" monitor and printer | incl. turntables and wheel clamps

Article number: 1 690 310 074



Perfectly integrated into ADAS calibration and head light testing:

- The space in front of the lift can be used for ADAS calibration boards and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, or clamps required for ADAS calibration

Best in class: +/- 2 minute accuracy:

- 360° measurement field for permanent self-check and adjustment of system to movement and vibrations
- Rolling runout compensation eliminates time-consuming raising of vehicle and single-wheel compensation
- No calibration to a specific lift allows a measurement on any wheel alignment bay
- Wireless data transfer and integrated battery enable full mobility and allow the use of Windows tablets or Laptops
- Intelligent and space-saving charging solution that can be mounted on any wall
- Quality made in Germany
- Also available as kit version; ideal for already existing alignment bays

Scope of delivery:

- Sensor head with encoder and battery power
- +Software with SmartTest for direct reception and ADAS calibration Option
- Vehicle specs database
- Cabinet with HighPerformance PC
- 27" monitor
- Printer
- Multi-fit wheel clamp 13" - 22" with standard and Softline claws
- Mechanical Turntables without electronics
- Brake pedal depressor and steering wheel holder
- Emergency cable set

Wheel aligner Easy CCD+ | FLEX | 433 Mhz

Wheel alignment using CCD measuring technology is the ideal entry-level solution by Beissbarth - economical, flexible, space-saving | with cabinet (without PC, monitor and printer)
Article number: 1 690 310 072

Perfectly integrated into ADAS calibration and head light testing:

- The space in front of the lift can be used for ADAS calibration boards and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, or clamps required for ADAS calibration

Best in class: +/- 2 minute accuracy:

- 360° measurement field for permanent self-check and adjustment of system to movement and vibrations
- Rolling runout compensation eliminates time-consuming raising of vehicle and single-wheel compensation
- No calibration to a specific lift allows a measurement on any wheel alignment bay
- Wireless data transfer and integrated battery enable full mobility and allow the use of Windows tablets or Laptops
- Intelligent and space-saving charging solution that can be mounted on any wall
- Quality made in Germany
- Also available as kit version; ideal for already existing alignment bays

- Data transmission: 433 Mhz

Scope of delivery:

- Sensor head with encoder and battery power
- +Software with SmartTest for direct reception and ADAS calibration option
- Vehicle specs database
- Cabinet without PC
- Brake pedal depressor and steering wheel holder

Please note: Turntables, and wheel clamps need to be ordered separately!

Wheel aligner Easy CCD+ | FLEX | 2,4 Ghz

Wheel alignment using CCD measuring technology is the ideal entry-level solution by Beissbarth - economical, flexible, space-saving | with cabinet (without PC, monitor and printer) | incl. emergency cable set

Article number: 1 690 310 077

Perfectly integrated into ADAS calibration and head light testing:

- The space in front of the lift can be used for ADAS calibration boards and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, or clamps required for ADAS calibration

Best in class: +/- 2 minute accuracy:

- 360° measurement field for permanent self-check and adjustment of system to movement and vibrations
- Rolling runout compensation eliminates time-consuming raising of vehicle and single-wheel compensation
- No calibration to a specific lift allows a measurement on any wheel alignment bay
- Wireless data transfer and integrated battery enable full mobility and allow the use of Windows tablets or Laptops
- Intelligent and space-saving charging solution that can be mounted on any wall
- Quality made in Germany
- Also available as kit version; ideal for already existing alignment bays

- Data transmission: 2,4 Ghz

Scope of delivery:

- Sensor head with encoder and battery power
- +Software with SmartTest for direct reception and ADAS calibration option
- Vehicle specs database
- Cabinet without PC
- Brake pedal depressor and steering wheel holder
- Emergency cable set

RaceScales | VAS 701009 | Precision turntable with load cells | 433Mhz

4x battery powered high precision turntables with weight function for full integration of corner balancing into the wheel alignment process.
Article number: 1 690 400 100



Electronic corner weight scales: Optimal adjustment of the chassis in connection with the wheel alignment

The electronic corner weight scales carry out high-precision weight distribution on the vehicle. In connection with the wheel alignment, the chassis can be optimally adjusted. This provides maximum levels of grip and better overall handling of the vehicle.

By the help of the corner weight scales the static weight distribution as well as the center of gravity optimization are integrated into to wheel alignment process. This not only ensures a stable and levelled working surface for optimal measurement results but also allows the immediate re-adjustment of camber, caster, and toe settings after the change in ride height. In motorsports the RaceScales ensure best race settings of the vehicle for faster lap times.

Digital corner balance scales:

- High precision for best measurement results
- High performance lithium polymer battery, wireless
- Seamless integration in all common wheel alignment lifts
- Compatible with all Beissbarth wheel aligners and third-party systems
- Intuitive software with clear display of measured values
- Always-on-top mini screen with live values of the four wheel weights

Software functions for optimal weight distribution:

- Weight distribution per wheel
- Weight distribution per axle
- Difference between front and rear
- Weight distribution per side
- Difference between left and right
- Cross Weight
- Cross Weight in %
- Total weight
- Live center of gravity
- Weighing protocol with company and customer information

Features wheel alignment turntables:

- With steering sensor for maximum steer measurement with CCD, Touchless, and Q.Lign wheel aligner
- Very high quality and durability
- Steel balls for reduced friction and higher accuracy
- Compatible with all common wheel alignment lifts
- Seamless integration in wheel alignment lifts without fixed rear sliding base

Scope of delivery:

- 2 turntables Precision with load cells and steering sensor (433 MHz)
- 2 turntables Precision with load cells without steering sensor (433 MHz)
- 4 turntable covers
- 4 charging cables (4 m)
- 2 USB power supply
- Radio receiver (433 MHz)
- Software and documentation (on USB flash drive)

Technical specs:

- Maximal load capacity per turntable: 1000 kg
- Frequency: 433 MHz (not suited for North America or Japan*)
- Battery runtime under full load: >24 h
- Measurement accuracy: <0,2% of final value (0 -1,000 kg measuring range)
- Resolution: 1 kg
- Required operating system for PC visualization: Windows 7 / 8.1 / 10

All corner weight scales are factory calibrated through ISO

Wheel aligner Easy 3D+ | 120 Years Limited Edition

Wheel Alignment with 3D technology - High speed, high precision and easy to use | Cable version | with cabinet, HighPerformance PC, 2 x 27" monitor and printer | incl. lift adapter, cable set, turntable, wheel clamps and OEM magnetic clamp

Article number: 1 690 700 113

NEW: Now with SmartTest - Quick alignment check with printout in under 90 seconds

- Highly automated routine
- Automatic target recognition
- Automated printout of protocol and reset for next vehicle check

NEW: New cabinet with second monitor for parallel use of additional equipment such as tyre tread reader Easy Tread, diagnostic testers, dealer management systems, head light testers, etc.

Perfectly integrated in ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, or clamps required for DAS calibration

Best in class: +/- 2 minute accuracy:

- Engineered and produced in Germany
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging targets
- Space-saving and easy storage of sensor heads on wall mount kit
- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- OEM magnetic clamps for safe mounting on the wheel
- 120 year anniversary edition with 3 years of free vehicle spec updates

Scope of delivery:

- Sensor head with DualView camera Technology
- +Software with SmartTest and ADAS calibration Option
- Target boards
- Vehicle specs database
- Cabinet
- HighPerformance PC
- 2 x 27" Monitor
- Printer
- Multi-Fit wheel camp 13" - 22" with standard and Softline claws
- OEM magnetic clamp
- Lift Adapter
- Cable set, 15 m
- Turntable
- Remote Control
- Brake pedal depressor and steering wheel holder

Wheel aligner Easy 3D+ 120 Years Limited Edition | without PC components

Wheel Alignment with 3D technology - High speed, high precision and easy to use | Cable version | with cabinet (without PC, monitor and printer) | incl. lift adapter, cable set, turntable, wheel clamps and OEM magnetic clamp

Article number: 1 690 700 114

NEW: Now with SmartTest - Quick alignment check with printout in under 90 seconds

- Highly automated routine
- Automatic target recognition
- Automated printout of protocol and reset for next vehicle check

NEW: New cabinet with second monitor for parallel use of additional equipment such as tyre tread reader Easy Tread, diagnostic testers, dealer management systems, head light testers, etc.

Perfectly integrated in ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, or clamps required for DAS calibration

Best in class: +/- 2 minute accuracy:

- Engineered and produced in Germany
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging targets
- Space-saving and easy storage of sensor heads on wall mount kit
- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- OEM magnetic clamps for safe mounting on the wheel
- 120 year anniversary edition with 3 years of free vehicle spec updates

Scope of delivery:

- Sensor head with DualView camera technology
- +Software with SmartTest and ADAS calibration option
- Target boards
- Vehicle specs database
- Cabinet
- Multi-Fit wheel camp 13" - 22" with standard and Softline claws
- OEM magnetic clamp
- Lift adapter
- Cable set, 15 m
- Turntable
- Remote control
- Brake pedal depressor and steering wheel holder

Wheel aligner Easy 3D+ | X-OEM Version

Wheel Alignment with 3D technology - High speed, high precision and easy to use | Cable version | with cabinet, HighPerformance PC, 27" monitor and printer | incl. lift adapter, cable set, turntable Standard, wheel clamps and OEM magnetic clamp

Article number: 1 690 700 077

NEW: Now with SmartTest - Quick alignment check with printout in under 90 seconds

- Highly automated routine
- Automatic target recognition
- Automated printout of protocol and reset for next vehicle check

Perfectly integrated in ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, clamps or targets required for ADAS calibration

Best in class: +/- 2 minute accuracy

- Engineered and produced in Germany
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging targets
- Space-saving and easy storage of sensor heads on wall mount kit
- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- OEM magnetic clamps for safe mounting on the wheel

Highly repeatable initial measurement

- Rolling or driving run-out compensation at ground level
- Three selectable measurement routines: program-driven, quick measurement, choice-free access to single-value check

Sophisticated software for maximum measurement and adjustment efficiency

- Real-time display of measured values combined with vehicle specs
- Visually animated adjustment instructions for third-party vehicles
- Several languages as standard for staff from all over the world
- ASA network ready

- Cable version

Scope of delivery:

- Sensor head with DualView camera technology
- +Software with SmartTest and ADAS calibration option
- Target boards
- Vehicle specs database
- Cabinet
- HighPerformance PC
- 27" Monitor
- Printer
- Multi-Fit wheel camp 13" - 22" with standard and Softline claws
- OEM magnetic clamp
- Lift adapter
- Cable set, 15 m
- Turntable Standard, without electronics
- Remote control
- Brake pedal depressor and steering wheel holder

Changes reserved

Wheel aligner Easy 3D+ | X-OEM Customized

Wheel Alignment with 3D technology - High speed, high precision and easy to use | Cable version | with cabinet, HighPerformance PC, 27" monitor and printer | incl. lift adapter, wheel clamps and OEM magnetic clamp

Article number: 1 690 700 121

NEW: Now with SmartTest - Quick alignment check with printout in under 90 seconds

- Highly automated routine
- Automatic target recognition
- Automated printout of protocol and reset for next vehicle check

Perfectly integrated in ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, clamps or targets required for ADAS calibration

Best in class: +/- 2 minute accuracy

- Engineered and produced in Germany
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging targets
- Space-saving and easy storage of sensor heads on wall mount kit
- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- OEM magnetic clamps for safe mounting on the wheel

Highly repeatable initial measurement

- Rolling or driving run-out compensation at ground level
- Three selectable measurement routines: program-driven, quick measurement, choice-free access to single-value check

Sophisticated software for maximum measurement and adjustment efficiency

- Real-time display of measured values combined with vehicle specs
- Visually animated adjustment instructions for third-party vehicles
- Several languages as standard for staff from all over the world
- ASA network ready

- Cable version

Scope of delivery:

- Sensor head with DualView camera technology
- +Software with SmartTest and ADAS calibration option
- Target boards
- Vehicle specs database
- Cabinet
- HighPerformance PC
- 27" Monitor
- Printer
- Multi-Fit wheel camp 13" - 22" with standard and Softline claws
- OEM magnetic clamp
- Wall storage kit for sensor heads
- Remote control
- Brake pedal depressor and steering wheel holder

Please note: Turntables and cable set need to be ordered separately.

Wheel aligner Easy 3D+ | WLAN Excellence

Wheel Alignment with 3D technology - High speed, high precision and easy to use | WLAN version | with cabinet, HighPerformance PC, 27" monitor and printer | incl. lift adapter, turntable, wheel clamps and OEM magnetic clamp

Article number: 1 690 700 103

NEW: Now with SmartTest - Quick alignment check with printout in under 90 seconds

- Highly automated routine
- Automatic target recognition
- Automated printout of protocol and reset for next vehicle check

Perfectly integrated in ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, or clamps required for DAS calibration

Best in class: +/- 2 minute accuracy:

- Sensor heads can be easily detached from the lift when not in use to clear up space
- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging Targets
- Extensive Beissbarth vehicle database including alignment helps directly from the OEMs
- High quality wheel clamps with torque control for safe mounting on the rim
- Quality Made in Germany
- Also available as Kit version; ideal for existing alignment bays

Scope of delivery:

- Sensor head with DualView camera technology
- +Software with SmartTest and ADAS calibration option
- WLAN/Bluetooth communication box
- Target boards
- Vehicle specs database
- Cabinet
- HighPerformance PC
- 27" Monitor
- Printer
- Multi-Fit wheel camp 13" - 22" with standard and Softline claws
- OEM magnetic clamp
- Lift Adapter
- Turntable
- Remote control
- Brake pedal depressor and steering wheel holder

Changes reserved

Wheel aligner Easy 3D+ | Standard Cable version

Wheel Alignment with 3D technology - High speed, high precision and easy to use | with cabinet, HighPerformance PC, 27" monitor and printer

Article number: 1 690 700 079

NEW: Now with SmartTest - Quick alignment check with printout in under 90 seconds

- Highly automated routine
- Automatic target recognition
- Automated printout of protocol and reset for next vehicle check

Perfectly integrated in ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, clamps or targets required for ADAS calibration

Best in class: +/- 2 minute accuracy

- Sensor heads can be easily detached from the lift when not in use to clear up space
- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging targets
- Extensive Beissbarth vehicle database including alignment helps directly from the OEMs
- Quality Made in Germany
- Also available as Kit version; ideal for existing alignment bays

- Cable version

Scope of delivery:

- Sensor head with DualView camera technology
- +Software with SmartTest and ADAS calibration option
- Target boards
- Vehicle specs database
- Cabinet
- HighPerformance PC
- 27" Monitor
- Printer
- Brake pedal depressor and steering wheel holder
- Wall storage kit for sensor heads

Please note: lift adapter, cable set, turntables, and wheel clamps need to be ordered separately!

Wheel aligner Easy 3D+ | FLEX Cable version

Wheel Alignment with 3D technology - High speed, high precision and easy to use | with cabinet

Article number: 1 690 700 081

NEW: Now with SmartTest - Quick alignment check with printout in under 90 seconds

- Highly automated routine
- Automatic target recognition
- Automated printout of protocol and reset for next vehicle check

Perfectly integrated in ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, clamps or targets required for ADAS calibration

Best in class: +/- 2 minute accuracy

- Sensor heads can be easily detached from the lift when not in use to clear up space
- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging targets
- Extensive Beissbarth vehicle database including alignment helps directly from the OEMs
- Quality Made in Germany
- Also available as Kit version; ideal for existing alignment bays

- Cable version

Scope of delivery:

- Sensor head with DualView camera technology
- +Software with SmartTest and ADAS calibration option
- Target boards
- Vehicle specs database
- Cabinet
- Brake pedal depressor and steering wheel holder
- Wall storage kit for sensor heads

Please note: lift adapter, cable set, turntables, and wheel clamps need to be ordered separately!

Changes reserved

Wheel aligner Easy 3D+ | Kit Version

Beissbarth Easy 3D+ Kit Version - Ideal for existing alignment bays! | with WLAN/Bluetooth communication box

Article number: 1 690 700 082

NEW: Now with SmartTest - Quick alignment check with printout in under 90 seconds

- Highly automated routine
- Automatic target recognition
- Automated printout of protocol and reset for next vehicle check

Perfectly integrated in ADAS calibration and head light testing:

- The space in front of the lift can be used for the ADAS calibration jig and head light tester
- Permanent self-check and precise ADAS calibration jig orientation to the thrust vehicle's thrust angle
- No need for extra cameras, cables, or clamps required for DAS calibration

Best in class: +/- 2 minute accuracy:

- Sensor heads can be easily detached from the lift when not in use to clear up space
- Beissbarth DualView camera system for ultimate control, especially of complex chassis
- No fixed position for targets on the vehicle eliminates room for error
- Plug & play: no calibration required for installation or for exchanging targets
- Extensive Beissbarth vehicle database including alignment helps directly from the OEMs
- Full mobility inside the workshop thanks to robust 5 Ghz Wi-Fi connection
- High quality wheel clamps with torque control for safe mounting on the rim
- Quality Made in Germany

Scope of delivery:

- Sensor head with DualView camera technology
- +Software with SmartTest and ADAS calibration option
- WLAN/Bluetooth communication box
- Target boards
- Vehicle specs database

RaceScales | VAS 701009 | Precision turntable with load cells | 433Mhz

4x battery powered high precision turntables with weight function for full integration of corner balancing into the wheel alignment process.
Article number: 1 690 400 100



Electronic corner weight scales: Optimal adjustment of the chassis in connection with the wheel alignment

The electronic corner weight scales carry out high-precision weight distribution on the vehicle. In connection with the wheel alignment, the chassis can be optimally adjusted. This provides maximum levels of grip and better overall handling of the vehicle.

By the help of the corner weight scales the static weight distribution as well as the center of gravity optimization are integrated into to wheel alignment process. This not only ensures a stable and levelled working surface for optimal measurement results but also allows the immediate re-adjustment of camber, caster, and toe settings after the change in ride height. In motorsports the RaceScales ensure best race settings of the vehicle for faster lap times.

Digital corner balance scales:

- High precision for best measurement results
- High performance lithium polymer battery, wireless
- Seamless integration in all common wheel alignment lifts
- Compatible with all Beissbarth wheel aligners and third-party systems
- Intuitive software with clear display of measured values
- Always-on-top mini screen with live values of the four wheel weights

Software functions for optimal weight distribution:

- Weight distribution per wheel
- Weight distribution per axle
- Difference between front and rear
- Weight distribution per side
- Difference between left and right
- Cross Weight
- Cross Weight in %
- Total weight
- Live center of gravity
- Weighing protocol with company and customer information

Features wheel alignment turntables:

- With steering sensor for maximum steer measurement with CCD, Touchless, and Q.Lign wheel aligner
- Very high quality and durability
- Steel balls for reduced friction and higher accuracy
- Compatible with all common wheel alignment lifts
- Seamless integration in wheel alignment lifts without fixed rear sliding base

Scope of delivery:

- 2 turntables Precision with load cells and steering sensor (433 MHz)
- 2 turntables Precision with load cells without steering sensor (433 MHz)
- 4 turntable covers
- 4 charging cables (4 m)
- 2 USB power supply
- Radio receiver (433 MHz)
- Software and documentation (on USB flash drive)

Technical specs:

- Maximal load capacity per turntable: 1000 kg
- Frequency: 433 MHz (not suited for North America or Japan*)
- Battery runtime under full load: >24 h
- Measurement accuracy: <0,2% of final value (0 -1,000 kg measuring range)
- Resolution: 1 kg
- Required operating system for PC visualization: Windows 7 / 8.1 / 10

All corner weight scales are factory calibrated through ISO

Wheel aligner ML 33 | Post with camera beam

3D Aligner with manually adjustable camera beam
Article number: 1 692 000 038



The entry 3D alignment solution for general repair workshops

- Quick and easy alignment in under 2 mins
- Highly recommend for use in alignment pits, but can be easily used on 4-post, stamp, and scissor lifts as well
- All sides of the lift remain accessible
- Manually adjustable camera beam - ideal for alignment pits
- Adjustable camera beam (600 - 2400 mm) allows adjustments and measurements at all heights
- Supports all vehicles types from Smart to Sprinter

Quick installation, plug & play

- No calibration for first installation
- No cables or drilling required on lift

Smart LED lights guide the user

- Helps with levelling of targets
- Shows direction and progress during runout compensation
- Shows direction and progress during caster sweep

Intuitive and fast software

- Fast and user friendly software
- Turns every smartphone or tablet into a mobile monitor for easy adjustment from under the vehicle (requires additional Wifi stick)
- Measurement of all common parameters including additional body parameters
- 21 available languages
- Three measurement routines: standard, quick, and custom
- Activation of drive-on aid by simply connecting any USB Webcam (optional)

Extensive vehicle database from Autodata

- Vehicle database from Autodata, including vehicle editor
- Selection via make, model, year and vehicle trim
- Free text search
- Filter for "most used" and "favorites"

Caution: The ML 3x series does not support connectivity solutions such as ASA or CoRe and does not offer the ability to calibrate driver assistance systems

Scope of delivery:

- Post with manually adjustable camera beam
- Target boards
- Cabinet
- DELL PC with Windows10, keyboard, and mouse
- 24" monitor
- Universal clamps with standard and special claws
- Turntables with filling pieces
- Wheel chocks
- Brake pedal depressor
- Steering wheel holder

Caution: No printer included in scope of delivery

Changes reserved

Wheel aligner ML 35 | Post with camera beam

3D Wheel aligner with auto-tracking function
Article number: 1 692 000 039



The entry 3D alignment solution for general repair workshops

- Quick and easy alignment in under 2 mins
- Can be used on 4-post, stamp, and scissor lifts as well as pits and test lanes
- All sides of the lift remain accessible
- Auto-tracking of target boards saves time when raising and lowering the lift
- Adjustable camera beam (600 - 2400 mm) allows adjustments and measurements at all heights
- Supports all vehicles types from Smart to Sprinter

Quick installation, plug & play

- No calibration for first installation
- No cables or drilling required on lift

Smart LED lights guide the user

- Helps with levelling of targets
- Shows direction and progress during runout compensation
- Shows direction and progress during caster sweep

Intuitive and fast software

- Fast and user friendly software
- Turns every smartphone or tablet into a mobile monitor for easy adjustment from under the vehicle (requires additional Wifi stick)
- Measurement of all common parameters including additional body parameters
- 21 available languages
- Three measurement routines: standard, quick, and custom
- Activation of drive-on aid by simply connecting any USB Webcam (optional)

Extensive vehicle database from Autodata

- Vehicle database from Autodata, including vehicle editor
- Selection via make, model, year and vehicle trim
- Free text search
- Filter for "most used" and "favorites"

Caution: The ML 3x series does not support connectivity solutions such as ASA or CoRe and does not offer the ability to calibrate driver assistance Systems.

Scope of delivery:

- Post with auto-tracking camera beam
- Target boards
- Storage console
- DELL PC with Windows10, keyboard, and mouse
- 24" monitor
- Additional 19" control monitor
- Universal clamps with standard and special claws
- Turntables with filling pieces
- Wheel chocks
- Brake pedal depressor
- Steering wheel holder

Caution: No printer included in scope of delivery

Changes reserved

Wheel aligner Touchless

Beissbarth Touchless - The easiest and quickest form of wheel alignment for ultimate productivity | with cabinet, HighPerformance PC, 27" monitor and printer

Article number: 1 690 900 011



Beissbarth Touchless - The easiest and quickest form of wheel alignment for ultimate productivity.

NEW: Optimized SmartTest procedure that increases the service opportunities with every vehicle

- Complete alignment check within seconds
- Eliminates time-consuming steps like attaching and removing of clamps, targets and wheel caps
- Free space in front of the lift can be used for additional service equipment

Innovative 2-in-1 system

- Completely contactless alignment check at vehicle reception (also as drive through solution)
- Simultaneous four-wheel measurement and alignment solution on all common lifts and pits
- Direct adjustment possibilities on both axles
- 16.000 laser dots and 4 DualView camera systems offer unmatched measurement accuracy
- Highest repeatability of the measurements due to direct measurement on the full wheel
- Workshops can continue to use existing alignment lifts
- Plug & Play: no field calibration required for installation or replacement of a pod
- Secure laser class 1M with patented laser protective mirror to eliminate the risk for eye damage
- Integrated drive-on aid to properly position the vehicle on the lift

Scope of delivery:

- Touchless Sensor heads
- +Software with SmartTest
- Vehicle specs database
- Cabinet with HighPerformance PC
- 27" monitor
- Printer
- Turntables
- Remote Control
- Brake pedal depressor and steering wheel holder

Changes reserved

Wheel aligner Touchless | for scissor lifts

Beissbarth Touchless - The easiest and quickest form of wheel alignment for ultimate productivity | with cabinet, HighPerformance PC, 27" monitor and printer

Article number: 1 690 900 020



Beissbarth Touchless - The easiest and quickest form of wheel alignment for ultimate productivity.

NEW: Optimized SmartTest procedure that increases the service opportunities with every vehicle

- Complete alignment check within seconds
- Eliminates time-consuming steps like attaching and removing of clamps, targets and wheel caps
- Free space in front of the lift can be used for additional service equipment

Innovative 2-in-1 system

- Completely contactless alignment check at vehicle reception (also as drive through solution)
- Simultaneous four-wheel measurement and alignment solution on all common lifts and pits
- Direct adjustment possibilities on both axles
- 16.000 laser dots and 4 DualView camera systems offer unmatched measurement accuracy
- Highest repeatability of the measurements due to direct measurement on the full wheel
- Workshops can continue to use existing alignment lifts
- Plug & Play: no field calibration required for installation or replacement of a pod
- Secure laser class 1M with patented laser protective mirror to eliminate the risk for eye damage
- Integrated drive-on aid to properly position the vehicle on the lift

Scope of delivery:

- Touchless Sensor heads
- +Software with SmartTest
- Vehicle specs database
- Cabinet with HighPerformance PC
- 27" monitor
- Printer
- Turntables
- Remote Control
- Brake pedal depressor and steering wheel holder
- 20m cable set for scissor lifts

Changes reserved

Wheel aligner Touchless | for USA

Beissbarth Touchless - The easiest and quickest form of wheel alignment for ultimate productivity | with cabinet, HighPerformance PC and 27" monitor | incl. turntables

Article number: 1 690 900 012



Beissbarth Touchless - The easiest and quickest form of wheel alignment for ultimate productivity.

NEW: Optimized SmartTest procedure that increases the service opportunities with every vehicle

- Complete alignment check within seconds
- Eliminates time-consuming steps like attaching and removing of clamps, targets and wheel caps
- Free space in front of the lift can be used for additional service equipment

Innovative 2-in-1 system

- Completely contactless alignment check at vehicle reception (also as drive through solution)
- Simultaneous four-wheel measurement and alignment solution on all common lifts and pits
- Direct adjustment possibilities on both axles
- 16.000 laser dots and 4 DualView camera systems offer unmatched measurement accuracy
- Highest repeatability of the measurements due to direct measurement on the full wheel
- Workshops can continue to use existing alignment lifts
- Plug & Play: no field calibration required for installation or replacement of a pod
- Secure laser class 1M with patented laser protective mirror to eliminate the risk for eye damage
- Integrated drive-on aid to properly position the vehicle on the lift

Scope of delivery:

- Touchless Sensor heads
- +Software with SmartTest
- Vehicle specs database
- Cabinet with HighPerformance PC
- 27" monitor
- Turntables with electronics
- Remote control
- Brake pedal depressor and steering wheel holder

Changes reserved

RaceScales | VAS 701009 | Precision turntable with load cells | 433Mhz

4x battery powered high precision turntables with weight function for full integration of corner balancing into the wheel alignment process.
Article number: 1 690 400 100



Electronic corner weight scales: Optimal adjustment of the chassis in connection with the wheel alignment

The electronic corner weight scales carry out high-precision weight distribution on the vehicle. In connection with the wheel alignment, the chassis can be optimally adjusted. This provides maximum levels of grip and better overall handling of the vehicle.

By the help of the corner weight scales the static weight distribution as well as the center of gravity optimization are integrated into to wheel alignment process. This not only ensures a stable and levelled working surface for optimal measurement results but also allows the immediate re-adjustment of camber, caster, and toe settings after the change in ride height. In motorsports the RaceScales ensure best race settings of the vehicle for faster lap times.

Digital corner balance scales:

- High precision for best measurement results
- High performance lithium polymer battery, wireless
- Seamless integration in all common wheel alignment lifts
- Compatible with all Beissbarth wheel aligners and third-party systems
- Intuitive software with clear display of measured values
- Always-on-top mini screen with live values of the four wheel weights

Software functions for optimal weight distribution:

- Weight distribution per wheel
- Weight distribution per axle
- Difference between front and rear
- Weight distribution per side
- Difference between left and right
- Cross Weight
- Cross Weight in %
- Total weight
- Live center of gravity
- Weighing protocol with company and customer information

Features wheel alignment turntables:

- With steering sensor for maximum steer measurement with CCD, Touchless, and Q.Lign wheel aligner
- Very high quality and durability
- Steel balls for reduced friction and higher accuracy
- Compatible with all common wheel alignment lifts
- Seamless integration in wheel alignment lifts without fixed rear sliding base

Scope of delivery:

- 2 turntables Precision with load cells and steering sensor (433 MHz)
- 2 turntables Precision with load cells without steering sensor (433 MHz)
- 4 turntable covers
- 4 charging cables (4 m)
- 2 USB power supply
- Radio receiver (433 MHz)
- Software and documentation (on USB flash drive)

Technical specs:

- Maximal load capacity per turntable: 1000 kg
- Frequency: 433 MHz (not suited for North America or Japan*)
- Battery runtime under full load: >24 h
- Measurement accuracy: <0,2% of final value (0 -1,000 kg measuring range)
- Resolution: 1 kg
- Required operating system for PC visualization: Windows 7 / 8.1 / 10

All corner weight scales are factory calibrated through ISO

Q.Lign | Compact

Web-based 3D wheel aligner with Q.Grips without rim contact and Auto ID target boards
Article number: 1 690 200 001

The World's most innovative Wheel aligner

Q.Lign is our answer to an increasingly digital and fast-paced world: ultra fast, compact, connected

World's First Web-based wheel aligner

- Compact web-based technology creates more space by replacing the need for trolley with PC
- Stream-to-X: Directly display the software on any TV, PC, laptop or smartphone
- Unleash the full power of connectivity by integrating Q.Lign into your daily workshop processes and systems

Get all the speed you want without compromising on accuracy

- Ultra fast software with optimized workflow of the complete alignment process
- Q.Grip wheel clamps mounted in seconds, without any rim contact

Full mobility, infinite possibilities

- Completely wireless thanks to high performance Li-Ion batteries
- Installation on any alignment lift type, above and inground
- Runout compensation in any lift height, from zero to top position
- Permanently use the space in front of the lift for headlight testing and ADAS calibration

Work smarter, not harder

- Get values the second the targets are recognized to immediately spot vehicles involved in accidents
- Measure with any target on any wheel position to save time and eliminate user error
- Active lift control: Our recipe for success for straight steering wheels
- Have the values always in sight from under the vehicle with the four OLED screens on the sensor heads

Putting the customer first

- Easy to understand printouts
- Theme-based printouts (e.g. accident report) instead of one size fits all
- Measurement of all common wheel alignment angles, including vehicle dimensions for easy detection of vehicles involved in accidents

Scope of delivery:

- 2 compact Q.Lign sensor heads with OLED displays
- Display module for direct streaming to TV, PC, laptop or tablet
- Tablet
- 2 Li-Ion batteries with charging station
- 4 Q.Grips without rim contact
- 4 targets with auto-identification
- New Generation Software
- Extensive target database
- Lift adaption
- Wall board for storage of sensor heads and battery charger
- Steering wheel and brake pedal lock
- Front turnplates

Changes reserved

Q.Lign | Excellence

Web-based 3D wheel aligner with Q.Grips without rim contact and Auto ID target boards
Article number: 1 690 200 002

The World's most innovative Wheel aligner

Q.Lign is our answer to an increasingly digital and fast-paced world: ultra fast, compact, connected

World's First Web-based wheel aligner

- Compact web-based technology generates results instantly
- Stream-to-X: Directly display the software on any TV, PC, laptop or smartphone
- Unleash the full power of connectivity by integrating Q.Lign into your daily workshop processes and systems

Get all the speed you want without compromising on accuracy

- Ultra fast software with optimized workflow of the complete alignment process
- Q.Grip wheel clamps mounted in seconds, without any rim contact

Full mobility, infinite possibilities

- Completely wireless thanks to high performance Li-Ion batteries
- Installation on any alignment lift type, above and inground
- Runout compensation in any lift height, from zero to top position
- Permanently use the space in front of the lift for headlight testing and ADAS calibration

Work smarter, not harder

- Get values the second the targets are recognized to immediately spot vehicles involved in accidents
- Measure with any target on any wheel position to save time and eliminate user error
- Active lift control: Our recipe for success for straight steering wheels
- Have the values always in sight from under the vehicle with the four OLED screens on the sensor heads

Putting the customer first

- Easy to understand printouts
- Theme-based printouts (e.g. accident report) instead of one size fits all
- Measurement of all common wheel alignment angles, including vehicle dimensions for easy detection of vehicles involved in accidents

Scope of delivery:

- 2 compact Q.Lign sensor heads with OLED displays
- Trolley with display module, 27" monitor and printer
- 2 Li-Ion batteries with charging station
- 4 Q.Grips without rim contact
- 4 targets with auto-identification
- New Generation Software
- Extensive target database
- Lift adaption
- Steering wheel and brake pedal lock
- Front turnplates

Changes reserved

Q.Lign | Kit

Modular web-based 3D wheel aligner for customized alignment installations tailored to your customer's workshop or for upgrading existing wheel alignment bays.
Article number: 1 690 200 003

The World's most innovative Wheel aligner

Q.Lign is our answer to an increasingly digital and fast-paced world: ultra fast, compact, connected

World's First Web-based wheel aligner

- Compact web-based technology creates more space by replacing the need for trolley with PC
- Stream-to-X: Directly display the software on any TV, PC, laptop or smartphone
- Unleash the full power of connectivity by integrating Q.Lign into your daily workshop processes and systems

Get all the speed you want without compromising on accuracy

- Ultra fast software with optimized workflow of the complete alignment process
- Q.Grip wheel clamps mounted in seconds, without any rim contact

Full mobility, infinite possibilities

- Completely wireless thanks to high performance Li-Ion batteries
- Installation on any alignment lift type, above and inground
- Runout compensation in any lift height, from zero to top position
- Permanently use the space in front of the lift for headlight testing and ADAS calibration

Work smarter, not harder

- Get values the second the targets are recognized to immediately spot vehicles involved in accidents
- Measure with any target on any wheel position to save time and eliminate user error
- Active lift control: Our recipe for success for straight steering wheels
- Have the values always in sight from under the vehicle with the four OLED screens on the sensor heads

Putting the customer first

- Easy to understand printouts
- Theme-based printouts (e.g. accident report) instead of one size fits all
- Measurement of all common wheel alignment angles, including vehicle dimensions for easy detection of vehicles involved in accidents

Scope of delivery:

- 2 compact Q.Lign sensor heads with OLED displays
- Display module for direct streaming to TV, PC, laptop or tablet
- 4 targets with auto-identification
- New Generation Software
- Extensive target database
- Lift adaption

Please note: This version allows full customization to the requirements of the installation site. Battery or cable? Trolley or TV? There are already clamps and turnplates available on site? Use this version to design the perfect solution tailored to your customer's needs or for upgrading existing wheel alignment bays.

Changes reserved

RaceScales | VAS 701009 | Precision turntable with load cells | 433Mhz

4x battery powered high precision turntables with weight function for full integration of corner balancing into the wheel alignment process.
Article number: 1 690 400 100



Electronic corner weight scales: Optimal adjustment of the chassis in connection with the wheel alignment

The electronic corner weight scales carry out high-precision weight distribution on the vehicle. In connection with the wheel alignment, the chassis can be optimally adjusted. This provides maximum levels of grip and better overall handling of the vehicle.

By the help of the corner weight scales the static weight distribution as well as the center of gravity optimization are integrated into to wheel alignment process. This not only ensures a stable and levelled working surface for optimal measurement results but also allows the immediate re-adjustment of camber, caster, and toe settings after the change in ride height. In motorsports the RaceScales ensure best race settings of the vehicle for faster lap times.

Digital corner balance scales:

- High precision for best measurement results
- High performance lithium polymer battery, wireless
- Seamless integration in all common wheel alignment lifts
- Compatible with all Beissbarth wheel aligners and third-party systems
- Intuitive software with clear display of measured values
- Always-on-top mini screen with live values of the four wheel weights

Software functions for optimal weight distribution:

- Weight distribution per wheel
- Weight distribution per axle
- Difference between front and rear
- Weight distribution per side
- Difference between left and right
- Cross Weight
- Cross Weight in %
- Total weight
- Live center of gravity
- Weighing protocol with company and customer information

Features wheel alignment turntables:

- With steering sensor for maximum steer measurement with CCD, Touchless, and Q.Lign wheel aligner
- Very high quality and durability
- Steel balls for reduced friction and higher accuracy
- Compatible with all common wheel alignment lifts
- Seamless integration in wheel alignment lifts without fixed rear sliding base

Scope of delivery:

- 2 turntables Precision with load cells and steering sensor (433 MHz)
- 2 turntables Precision with load cells without steering sensor (433 MHz)
- 4 turntable covers
- 4 charging cables (4 m)
- 2 USB power supply
- Radio receiver (433 MHz)
- Software and documentation (on USB flash drive)

Technical specs:

- Maximal load capacity per turntable: 1000 kg
- Frequency: 433 MHz (not suited for North America or Japan*)
- Battery runtime under full load: >24 h
- Measurement accuracy: <0,2% of final value (0 -1,000 kg measuring range)
- Resolution: 1 kg
- Required operating system for PC visualization: Windows 7 / 8.1 / 10

All corner weight scales are factory calibrated through ISO

Easy CCD



Wheel aligner Easy CCD+ | Kit Version
Article number: 1 690 310 071

Wheel aligner Easy CCD+ | Excellence
Article number: 1 690 310 074

Wheel aligner Easy CCD+ | FLEX | 433 Mhz
Article number: 1 690 310 072

Wheel aligner Easy CCD+ | FLEX | 2,4 Ghz
Article number: 1 690 310 077

Easy CCD - Accessories

Vehicle database update Cars & Vans Europe | Key Card
Article number: 1 690 002 015

Vehicle database update Cars & Vans North America | Key Card
Article number: 1 690 002 002

Vehicle database update Cars & Vans South America | Key Card
Article number: 1 690 002 003

Vehicle database update Cars & Vans Asia Pacific | Key Card
Article number: 1 690 002 004

Vehicle database update Cars & Vans Europe and VW Professional | Key Card
Article number: 1 690 708 058

Vehicle database update Cars & Vans Europe | Online Download
Article number: 1 690 008 100

Vehicle database update Cars & Vans North America | Online Download
Article number: 1 690 008 015

Vehicle database update Cars & Vans South America | Online Download
Article number: 1 690 008 017

Vehicle database update Cars & Vans Asia Pacific | Online Download
Article number: 1 690 008 016

Vehicle database update Cars & Vans Oceania | Online Download
Article number: 1 690 008 043

Vehicle database update OEM Mercedes-Benz Professional | Online Download
Article number: 1 690 008 027

Vehicle database update Cars & Vans China | Online Download
Article number: 1 690 008 022

Software upgrade Easy CCD
Article number: 1 690 320 131

Software Upgrade FWA 44xx+ Program incl. Europe and VW Professional | Key Card
Article number: 1 690 708 048

PC Upgrade 8R Tech+ to EasyCCD+ | pre-installed Windows 10 PC
Article number: 1 690 311 216

PC Upgrade FWA44xx to FWA44xx+ | pre-installed Windows 10 PC
Article number: 1 690 320 132



Mechanical aluminum turntable Standard
Article number: 1 690 501 001



Mechanical aluminum turntable Precision
Article number: 1 690 401 028



Electronic aluminum turntable without connecting cable | Standard
Article number: 1 690 401 011



Electronic aluminum turntable without connecting cable | Precision
Article number: 1 690 401 013

Connecting cable for electronic turntables
Article number: 1 690 403 001

Filling piece for aluminum turntable
Article number: 1 690 702 082

Filling piece for aluminum precision turntable
Article number: 1 690 102 041

Protective rubber cover for aluminum turntable
Article number: 1 690 402 001



Sliding plate for rear axle | short
Article number: 1 690 401 003

Sliding plate for rear axle | long
Article number: 1 690 401 004

Drive-on ramps for two aluminum turntables
Article number: 1 690 701 052



Drive-on ramps for turntables and sliding plates
Article number: 1 690 401 008

Multi-Fit wheel clamp with standard claws | 13 - 22" | 4 pcs.
Article number: 1 690 311 112

Multi-Fit wheel clamp with standard claws | 13 - 22" | 1pc.
Article number: 1 690 311 089

Extension set for Multi-fit clamps | 23 - 28"
Article number: 1 690 311 113

Set softline claws for 1 x Multi-fit clamp | Softline rims
Article number: 1 690 311 164

Set truck claws for 1 x Multi-fit clamp | Truck
Article number: 1 690 311 115



Self-centering quick clamp | for Lamborghini
Article number: 8 900 380 016

Spoiler adapter 50 mm
Article number: 1 690 401 005

Spoiler adapter 50 mm | Precision
Article number: 1 690 401 014

Spoiler adapter 100 mm
Article number: 1 690 121 001

Wallboard for sensor heads
Article number: 1 690 311 146

Cable set
Article number: 1 690 401 012

Brake pedal depressor
Article number: 1 690 401 006

Steering wheel holder
Article number: 1 690 401 007

Accessories cart
Article number: 1 690 701 041

Calibration device for CCD
Article number: 1 690 401 066

Ballast bag 5 kg
Article number: 1 693 740 001

Ballast bag 8 kg
Article number: 1 693 740 693

Ballast bag 10 kg
Article number: 1 693 740 002

Ballast bag 20 kg
Article number: 1 693 740 003

Romess inclinometer with standard adapter | 230V
Article number: 1 693 770 002

Romess data transfer and charging unit | 230V
Article number: 1 693 770 003

Romess adapter set for M-Class type W163
Article number: 1 690 401 016

Romess adapter set for Vaneo type W414
Article number: 1 693 770 004



Replacement standard adapter |for Romess inclinometer
Article number: 1 693 770 160

Romess steering wheel level gauge with Bluetooth | 230V
Article number: 1 693 770 619

Manual inclinometer Pro360 for Mercedes-Benz | 9V
Article number: 1 693 770 657

USB Remote control | for EasyCCD, Easy3D+ and Touchless
Article number: 1 693 770 586

RaceScales | VAS 701009 | Precision turntable with load cells | 433Mhz
Article number: 1 690 400 100

Set of Drive-on ramps | for RaceScales
Article number: 1 692 000 221

Easy 3D+

Wheel aligner Easy 3D+ | 120 Years Limited Edition
Article number: 1 690 700 113

Wheel aligner Easy 3D+ 120 Years Limited Edition | without PC components
Article number: 1 690 700 114

Wheel aligner Easy 3D+ | X-OEM Version
Article number: 1 690 700 077

Wheel aligner Easy 3D+ | X-OEM Customized
Article number: 1 690 700 121

Wheel aligner Easy 3D+ | WLAN Excellence
Article number: 1 690 700 103

Wheel aligner Easy 3D+ | Standard Cable version
Article number: 1 690 700 079

Wheel aligner Easy 3D+ | FLEX Cable version
Article number: 1 690 700 081

Wheel aligner Easy 3D+ | Kit Version
Article number: 1 690 700 082

Easy 3D+ - Accessories

Vehicle database update Cars & Vans Europe | Key Card
Article number: 1 690 002 015

Vehicle database update Cars & Vans North America | Key Card
Article number: 1 690 002 002

Vehicle database update Cars & Vans South America | Key Card
Article number: 1 690 002 003

Vehicle database update Cars & Vans Asia Pacific | Key Card
Article number: 1 690 002 004

Vehicle database update Cars & Vans Europe and VW Professional | Key Card
Article number: 1 690 708 058

Vehicle database update Cars & Vans Europe | Online Download
Article number: 1 690 008 100

Vehicle database update Cars & Vans North America | Online Download
Article number: 1 690 008 015

Vehicle database update Cars & Vans South America | Online Download
Article number: 1 690 008 017

Vehicle database update Cars & Vans Asia Pacific | Online Download
Article number: 1 690 008 016

Vehicle database update Cars & Vans Oceania | Online Download
Article number: 1 690 008 043

Vehicle database update OEM Mercedes-Benz Professional | Online Download
Article number: 1 690 008 027

Vehicle database update Cars & Vans China | Online Download
Article number: 1 690 008 022

Software Upgrade Easy3D to Easy 3D+ | Key Card
Article number: 1 690 701 252

Software Upgrade FWA 46xx+ Program incl. Europe and VW Professional | Key Card
Article number: 1 690 708 047

Software Upgrade FWA 46xx to FWA 46xx+ | Key Card
Article number: 1 690 701 253

PC Upgrade Easy3D to Easy3D+ | pre-installed Windows 10 PC
Article number: 1 690 701 258

PC Upgrade FWA46xx to FWA46xx+ | pre-installed Windows 10 PC
Article number: 1 690 701 264



Mechanical aluminum turntable Standard
Article number: 1 690 501 001



Mechanical aluminum turntable Precision
Article number: 1 690 401 028

Filling piece for aluminum turntable
Article number: 1 690 702 082

Filling piece for aluminum precision turntable
Article number: 1 690 102 041

Protective rubber cover for aluminum turntable
Article number: 1 690 402 001



Sliding plate for rear axle | short
Article number: 1 690 401 003

Sliding plate for rear axle | long
Article number: 1 690 401 004

Drive-on ramps for two aluminum turntables
Article number: 1 690 701 052



Drive-on ramps for turntables and sliding plates
Article number: 1 690 401 008

Lift adapter two positions
Article number: 1 690 701 231

Lift adapter one position
Article number: 1 690 701 232

Lift adapter extension from one to two positions
Article number: 1 690 701 503

Special lift adapter for Beissbarth / Consul
Article number: 1 690 701 123

Special lift adapter Extension for Beissbarth / Consul
Article number: 1 690 701 311



Special lift adapter for lifts with U-profile
Article number: 1 690 701 020

Floor adapter for LTB 100/300
Article number: 1 690 701 506

Floor adapter for alignment pits
Article number: 1 690 701 027

Magnetic clamps for wheel bolts
Article number: 1 690 701 051

Set of Extension magnets for magnetic holders | 100 mm | 3 pcs.
Article number: 1 690 701 525

Multi-Fit wheel clamp with standard claws | 13 - 22" | 4 pcs.
Article number: 1 690 311 112

Multi-Fit wheel clamp with standard claws | 13 - 22" | 1pc.
Article number: 1 690 311 089

Extension set for Multi-fit clamps | 23 - 28"
Article number: 1 690 311 113

Set softline claws for 1 x Multi-fit clamp | Softline rims
Article number: 1 690 311 164

Set truck claws for 1 x Multi-fit clamp | Truck
Article number: 1 690 311 115

Set of Extension magnets for magnetic holders | 75 mm | 12 pcs.
Article number: 1 690 701 097

Set of Drive-on ramps | for RaceScales
Article number: 1 692 000 221

Target boards 340 cm
Article number: 1 690 701 032

Extension for vehicles with narrow track width (Smart)
Article number: 1 690 701 127

Standard target board for Easy 3D
Article number: 1 690 711 005

Cable set 7.5 m / 7.5 m
Article number: 1 690 701 205

Cable set 12 m / 12 m
Article number: 1 690 701 029

Cable set 15 m / 15 m
Article number: 1 690 701 030

Cable set 25 m / 25 m
Article number: 1 690 701 163

Brake pedal depressor
Article number: 1 690 401 006

Steering wheel holder
Article number: 1 690 401 007

Step protection for Easy 3D
Article number: 1 690 701 045

Accessories cart
Article number: 1 690 701 041

Wallhooks for Clamps and targets | for Easy3D+
Article number: 1 690 701 040

Wallhooks for sensor heads | for Easy3D+
Article number: 1 690 701 507

Wheel chock set 2 pcs.
Article number: 1 692 000 156

Calibration device for Easy 3D
Article number: 1 690 700 014



Upgrade Kit Easy 3D+ WLAN
Article number: 1 690 700 100

Ballast bag 5 kg
Article number: 1 693 740 001

Ballast bag 8 kg
Article number: 1 693 740 693

Ballast bag 10 kg
Article number: 1 693 740 002

Ballast bag 20 kg
Article number: 1 693 740 003

Manual inclinometer Pro360 for Mercedes-Benz | 9V
Article number: 1 693 770 657

Romess inclinometer with standard adapter | 230V
Article number: 1 693 770 002

Romess data transfer and charging unit | 230V
Article number: 1 693 770 003

Romess adapter set for M-Class type W163
Article number: 1 690 401 016

Romess adapter set for Vaneo type W414
Article number: 1 693 770 004



Replacement standard adapter |for Romess inclinometer
Article number: 1 693 770 160

Romess steering wheel level gauge with Bluetooth | 230V
Article number: 1 693 770 619

USB Remote control | for EasyCCD, Easy3D+ and Touchless
Article number: 1 693 770 586

RaceScales | VAS 701009 | Precision turntable with load cells | 433Mhz
Article number: 1 690 400 100

ML 3x

Wheel aligner ML 33 | Post with camera beam
Article number: 1 692 000 038

Wheel aligner ML 35 | Post with camera beam
Article number: 1 692 000 039

Q.Lign

Q.Lign | Compact
Article number: 1 690 200 001

Q.Lign | Excellence
Article number: 1 690 200 002

Q.Lign | Kit
Article number: 1 690 200 003

Q.Lign - Accessories



ADAS target boards | for Q.Lign
Article number: 1 690 200 013

Powerbox for Q.Lign
Article number: 1 690 201 029

Power connection cable 10 m
Article number: 1 690 203 025

Power connection cable 15 m
Article number: 1 690 203 041

Duo-battery charging station for Q.Lign | incl. accessories
Article number: 1 690 201 069

Battery for Q.Lign | Li-Ion | 99 Wh
Article number: 1 690 203 019

Power supply for Q.Lign Accessories | 19 V RRC
Article number: 1 693 770 648

Emergency power box for Q.Lign
Article number: 1 690 201 030

Lift adaptation for Q.Lign
Article number: 1 690 201 035

Tablet for Q.Lign | Android | 10.1"
Article number: 1 693 770 644

Mouse and keyboard | Wireless
Article number: 1 693 770 634

Wall board for Q.Lign
Article number: 1 690 201 054

Printer for Beissbarth trolleys
Article number: 1 693 770 415

Trolley with 27"monitor | für Q.Lign
Article number: 1 690 201 055

Adapter set Q.Grip | for Q.Lign | 4 pcs.
Article number: 1 690 101 010



Mechanical aluminum turntable Standard
Article number: 1 690 501 001



Mechanical aluminum turntable Precision
Article number: 1 690 401 028



Electronic aluminum turntable without connecting cable | Standard
Article number: 1 690 401 011



Electronic aluminum turntable without connecting cable | Precision
Article number: 1 690 401 013

Connecting cable for electronic turntables
Article number: 1 690 403 001

Filling piece for aluminum precision turntable
Article number: 1 690 102 041

Filling piece for aluminum turntable
Article number: 1 690 702 082

Protective rubber cover for aluminum turntable
Article number: 1 690 402 001

Drive-on ramps for two aluminum turntables
Article number: 1 690 701 052



Drive-on ramps for turntables and sliding plates
Article number: 1 690 401 008



Sliding plate for rear axle | short
Article number: 1 690 401 003

Sliding plate for rear axle | long
Article number: 1 690 401 004

Magnetic clamps for wheel bolts
Article number: 1 690 701 051

Set of Extension magnets for magnetic holders | 75 mm | 12 pcs.
Article number: 1 690 701 097

Central clamp Porsche 911 GT3 and Turbo
Article number: 1 690 380 002

Self-centering quick clamp for Porsche
Article number: 1 690 380 010

Self-centering quick clamp for Porsche
Article number: 1 690 301 003

Central clamp Porsche Carrera GT
Article number: 1 690 301 002

Self-centering quick clamp for Tesla
Article number: 1 690 380 161

Self-centering quick clamp for Ferrari
Article number: 1 690 381 299

Self-centering quick clamp | for Lamborghini
Article number: 8 900 380 016

Quick clamp Mercedes Benz | OEM
Article number: 1 690 801 002

Quick clamp BMW | OEM
Article number: 1 690 801 001

Distance bolts for quick clamp Mercedes Benz | 100 mm
Article number: 1 690 801 007

Distance bolts for quick clamp BMW | 120 mm
Article number: 1 690 801 003

Distance bolts for quick clamp Mercedes Benz and BMW | 125 mm
Article number: 1 690 401 019

Multi-Fit wheel clamp with standard claws | 13 - 22" | 4 pcs.
Article number: 1 690 311 112

Multi-Fit wheel clamp with standard claws | 13 - 22" | 1pc.
Article number: 1 690 311 089

Extension set for Multi-fit clamps | 23 - 28"
Article number: 1 690 311 113

Set softline claws for 1 x Multi-fit clamp | Softline rims
Article number: 1 690 311 164

Set truck claws for 1 x Multi-fit clamp | Truck
Article number: 1 690 311 115

Brake pedal depressor
Article number: 1 690 401 006

Steering wheel holder
Article number: 1 690 401 007

Toe press bar for Mercedes Benz
Article number: 1 693 600 001

Accessories cart
Article number: 1 690 701 041

Ballast bag 5 kg
Article number: 1 693 740 001

Ballast bag 8 kg
Article number: 1 693 740 693

Ballast bag 10 kg
Article number: 1 693 740 002

Ballast bag 20 kg
Article number: 1 693 740 003

Wheel chock set 2 pcs.
Article number: 1 692 000 156

RaceScales | VAS 701009 | Precision turntable with load cells | 433Mhz
Article number: 1 690 400 100

Set of Drive-on ramps | for RaceScales
Article number: 1 692 000 221

Touchless

Wheel aligner Touchless
Article number: 1 690 900 011

Wheel aligner Touchless | for scissor lifts
Article number: 1 690 900 020

Wheel aligner Touchless | for USA
Article number: 1 690 900 012

Touchless - Accessories

Vehicle database update Cars & Vans Europe | Key Card
Article number: 1 690 002 015

Vehicle database update Cars & Vans North America | Key Card
Article number: 1 690 002 002

Vehicle database update Cars & Vans South America | Key Card
Article number: 1 690 002 003

Vehicle database update Cars & Vans Asia Pacific | Key Card
Article number: 1 690 002 004

Vehicle database update Cars & Vans Europe and VW Professional | Key Card
Article number: 1 690 708 058

Vehicle database update Cars & Vans Europe | Online Download
Article number: 1 690 008 100

Vehicle database update Cars & Vans North America | Online Download
Article number: 1 690 008 015

Vehicle database update Cars & Vans South America | Online Download
Article number: 1 690 008 017

Vehicle database update Cars & Vans Asia Pacific | Online Download
Article number: 1 690 008 016

Vehicle database update Cars & Vans Oceania | Online Download
Article number: 1 690 008 043

Vehicle database update OEM Mercedes-Benz Professional | Online Download
Article number: 1 690 008 027

Vehicle database update Cars & Vans China | Online Download
Article number: 1 690 008 022



SmartLink adapter Universal | >5.1m platform length
Article number: 1 690 900 013

SmartLink adapter for LTB 300 / Pit and floor mounting
Article number: 1 690 900 014



SmartLink Adapter for VLH 4345
Article number: 1 690 900 016



Electronic aluminum turntable without connecting cable | Standard
Article number: 1 690 401 011



Electronic aluminum turntable without connecting cable | Precision
Article number: 1 690 401 013

Connecting cable for electronic turntables
Article number: 1 690 403 001

Filling piece for aluminum turntable
Article number: 1 690 702 082

Filling piece for aluminum precision turntable
Article number: 1 690 102 041

Protective rubber cover for aluminum turntable
Article number: 1 690 402 001



Sliding plate for rear axle | short
Article number: 1 690 401 003

Sliding plate for rear axle | long
Article number: 1 690 401 004

Drive-on ramps for two aluminum turntables
Article number: 1 690 701 052



Drive-on ramps for turntables and sliding plates
Article number: 1 690 401 008

Brake pedal depressor
Article number: 1 690 401 006

Steering wheel holder
Article number: 1 690 401 007

Accessories cart
Article number: 1 690 701 041

Ballast bag 5 kg
Article number: 1 693 740 001

Ballast bag 8 kg
Article number: 1 693 740 693

Ballast bag 10 kg
Article number: 1 693 740 002

Ballast bag 20 kg
Article number: 1 693 740 003

Romess inclinometer with standard adapter | 230V
Article number: 1 693 770 002

Romess data transfer and charging unit | 230V
Article number: 1 693 770 003

Romess adapter set for M-Class type W163
Article number: 1 690 401 016

Romess adapter set for Vaneo type W414
Article number: 1 693 770 004



Replacement standard adapter |for Romess inclinometer
Article number: 1 693 770 160

Romess steering wheel level gauge with Bluetooth | 230V
Article number: 1 693 770 619

Manual inclinometer Pro360 for Mercedes-Benz | 9V
Article number: 1 693 770 657

USB Remote control | for EasyCCD, Easy3D+ and Touchless
Article number: 1 693 770 586

RaceScales | VAS 701009 | Precision turntable with load cells | 433Mhz
Article number: 1 690 400 100

Set of Drive-on ramps | for RaceScales
Article number: 1 692 000 221

IMPORTANT NOTES

VERSION 2022.02.10 – PRICES ON REQUEST

Beissbarth GmbH
Hanauer Straße 101
80993 Munich, Germany
sales@beissbarth.com
www.beissbarth.com

Telefon: +49-(0)89-14901-0
Telefax: +49-(0)89-14901-246

Order number 1 693 602 008 **Print norm** BB XXX / XX.XX.2020 DE · Subject to technical and program changes, errors excepted.